

WEST Search History for Application 10542879

Creation Date: 2008031517:56

Query	DB	Op.	Plur.	Thes.	Date
((magnetic adj resonan\$2) or MRI or NMR)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR)) and (field-of-view or "field of view" or FOV)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV)) and (sensitiv\$3 or sensitivities)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities)) and (map\$4 or plot\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4)) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4))) and (sampl\$4)	PGPB, USPT, USOC, EPAB, JPAB,	ADJ			03-15-2008

	DWPI, TDBD				
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4)) and ((sampl\$4) same (field-of-view or "field of view" or FOV))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV))) and (antenna or probe or coil or winding or array)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (antenna or probe or coil or winding or array)) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (antenna or probe or coil or winding or array) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV))) and (phas\$3 same encod\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (antenna or probe or coil or winding or array) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV)) and (phas\$3 same encod\$3)) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3	PGPB, USPT,	ADJ			03-15-2008

or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4))) and (brittain.in.)	USOC, EPAB, JPAB, DWPI, TDBD				
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4)) and (brittain.in.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and (brittain.in.)) and ((sampl\$4) same (field-of-view or "field of view" or FOV))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and (brittain.in.) and ((sampl\$4) same (field-of-view or "field of view" or FOV))) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and (brittain.in.) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2)) and (phas\$3 same encod\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and (brittain.in.) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2) and (phas\$3 same encod\$3)) and (antenna or probe or coil or winding or array)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			03-15-2008
((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or	PGPB, USPT, USOC, EPAB, JPAB,	ADJ	YES		03-15-2008

FOV)) and (antenna or probe or coil or winding or array) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV)) and (phas\$3 same encod\$3)) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2 or "sub")	DWPI, TDBD				
((((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (antenna or probe or coil or winding or array) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV)) and (phas\$3 same encod\$3) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2 or "sub")) and (subsampl\$4 or sub-sampl\$4 or "sub sampl\$4" or ((portion\$2 or part\$2 or under) with (sampl\$4)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		03-15-2008
((((magnetic adj resonan\$2) or MRI or NMR) and (field-of-view or "field of view" or FOV) and (sensitiv\$3 or sensitivities) and (map\$4 or plot\$4) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4)) and (sampl\$4) and ((sampl\$4) same (field-of-view or "field of view" or FOV)) and (antenna or probe or coil or winding or array) and ((sensitiv\$3 or sensitivities) same (map\$4 or plot\$4) same (field-of-view or "field of view" or FOV)) and (phas\$3 same encod\$3) and (full or complet\$3 or entir\$4 or total\$2 or reduc\$3 or reduction or Nex or partial\$2 or "sub") and (subsampl\$4 or sub-sampl\$4 or "sub sampl\$4" or ((portion\$2 or part\$2 or under) with (sampl\$4)))) and ((adjacent or "next to") same (field-of-view or "field of view" or FOV))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		03-15-2008